




Installing Motor Shaft Grounding Modules Quickly and Cost Effectively

Motor Repair Shops and Field technicians need a simple, cost-effective method to mount Motor Shaft Grounding Modules to motors.

FleXmount™ brackets are designed to be bent and shaped, by the installer, in the shop or on site, using our FleXform™ handheld bending tool.

When formed, the bracket will hold the MSGM exactly where it needs to be on the shaft.




It takes only a few minutes to bend up a FleXmount™ bracket for any motor geometry.

- Simple to form using the FleXform™ tool
- Very Rigid when mounted
- Achieve professional, consistent results
- Reduce installation time from hours to minutes
- In some cases, the bracket will bolt directly to the motor's endbell mounting bolts, eliminating the need for drilling holes altogether.

Aaki Corp.

Grounding Solutions

A Better Way



| PART NO | DESCRIPTION | NO. OF WINGS | WING ANGLE | WING LENGTH | FLEX BEAM LENGTH | FLEX BEAM WIDTH | MOTOR MOUNT LENGTH | MOTOR MOUNT WIDTH |
|---------|-----------------------|--------------|------------|-------------|------------------|-----------------|--------------------|-------------------|
| 210160 | Multi-1W-0-5X20-5 | 1 | 0 | 36 | 5 | 3 | 20 | 5 |
| 210161 | Multi-1W-0-10X20-5 | 1 | 0 | 41 | 10 | 3 | 20 | 5 |
| 210162 | Multi-1W-0-20X20-5 | 1 | 0 | 51 | 20 | 3 | 20 | 5 |
| 210163 | Multi-1W-0-40X20-5 | 1 | 0 | 71 | 40 | 3 | 20 | 5 |
| 210164 | Multi-1W-0-60X20-5 | 1 | 0 | 91 | 60 | 3 | 20 | 5 |
| 210165 | Multi-1W-0-80X20-5 | 1 | 0 | 111 | 80 | 4 | 20 | 5 |
| 210166 | Multi-2W-45-10X20-5 | 2 | 45 | 41 | 10 | 3 | 20 | 5 |
| 210167 | Multi-2W-45-20X20-5 | 2 | 45 | 51 | 20 | 3 | 20 | 5 |
| 210168 | Multi-2W-45-40X20-5 | 2 | 45 | 71 | 40 | 3 | 20 | 5 |
| 210169 | Multi-2W-45-60X20-5 | 2 | 45 | 91 | 60 | 3 | 20 | 5 |
| 210170 | Multi-2W-45-80X20-5 | 2 | 45 | 111 | 80 | 4 | 20 | 5 |
| 210171 | Multi-2W-60-20X20-5 | 2 | 60 | 51 | 20 | 3 | 20 | 5 |
| 210172 | Multi-2W-90-20X20-5 | 2 | 90 | 51 | 20 | 3 | 20 | 5 |
| 210173 | Multi-2W-90-40X20-5 | 2 | 90 | 71 | 40 | 3 | 20 | 5 |
| 210174 | Multi-2W-90-60X20-5 | 2 | 90 | 91 | 60 | 3 | 20 | 5 |
| 210175 | Multi-2W-90-80X20-5 | 2 | 90 | 111 | 80 | 4 | 20 | 5 |
| 210176 | Multi-2W-120-10X20-5 | 2 | 120 | 43 | 10 | 3 | 20 | 5 |
| 210177 | Multi-2W-120-20X20-5 | 2 | 120 | 53 | 20 | 3 | 20 | 5 |
| 210178 | Multi-2W-120-40X20-5 | 2 | 120 | 73 | 40 | 3 | 20 | 5 |
| 210179 | Multi-2W-140-10X20-5 | 2 | 140 | 44 | 10 | 3 | 20 | 5 |
| 210180 | Multi-2W-140-20X20-5 | 2 | 140 | 54 | 20 | 3 | 20 | 5 |
| 210181 | Multi-2W-45-80X40-10 | 2 | 45 | 138 | 80 | 4 | 40 | 10 |
| 210182 | Multi-2W-60-60X40-10 | 2 | 60 | 118 | 60 | 3 | 40 | 10 |
| 210183 | Multi-2W-60-80X40-10 | 2 | 60 | 138 | 80 | 4 | 40 | 10 |
| 210184 | Multi-2W-90-100X40-10 | 2 | 90 | 158 | 100 | 4 | 40 | 10 |

Other sizes available. Contact us for custom sizes to suit your specific needs.

Aaki Corp.


Grounding Solutions

A Better Way

Calgary, Alberta, Canada Phone: 1-888- 899-AAKI (2254) info@aaki.ca www.aaki.ca

FLEXMOUNT™ BRACKET

OVERVIEW & BENEFITS




DOCUMENT NO. | REV
300280 | 0

| Item No. | Part No. | I | 210166 |
|----------|----------|---|--------|
| A | 210179 | J | 210167 |
| B | 210180 | K | 210168 |
| C | 210176 | L | 210160 |
| D | 210177 | M | 210161 |
| E | 210178 | N | 210162 |
| F | 210172 | O | 210518 |
| G | 210173 | P | 210163 |
| H | 210171 | | |

Note:-

All the squares and circles are spaced at 0.25".

| | | | | | | | | |
|--|--------------|---|--|-------------|-----|------------|----------------|--|
|  AAKI Corp www.aaki.ca 1-888-899-2254 | DOCUMENT NO. | 300280 | | SCALE | 1:1 | SHEET SIZE | US LETTER SIZE | |
| | DESCRIPTION | Flexmount selection drawing- Upto 40 mm Flex length | | | | NAME | DATE | |
| | | | | DRAWN BY | DS | 17-03-2024 | | |
| | | | | APPROVED BY | AK | | | |

Find this sheet and other documentation on our website at Aaki.ca

Aaki Corp.

Grounding Solutions

A Better Way

Calgary, Alberta, Canada Phone:1-888- 899-AAKI (2254) info@aaki.ca www.aaki.ca